



MEZZANINE

200 SERIES

PRODUCT OVERVIEW

The Mezzanine 200 series transforms ordinary video calls into high-powered collaboration sessions. Purpose-built for small- to medium-sized rooms and the teams that work in them, Mezzanine seamlessly enhances video conferencing with multi-share capabilities, content upload and download, annotation, and more. Mezzanine 200 is powered by an in-room appliance and is equipped with an optical tracking system to control content using a spatial wand.

BENEFITS

Work with all of your data: Present multiple streams of content to enable more informed, more efficient decision-making.


Link multiple locations: Connect distributed teams with a shared visual workspace so everyone is on the same page.

Enable new ways to work: Empower teams to interact. Simultaneous interactions create new, parallel workflows to increase team performance.

Ease of use: Extend your video conferencing systems to enable fully collaborative experiences without requiring new training or tools.

ROOM DIAGRAM

Create a dynamic working environment with two displays. Plug in via HDMI or share your screen wirelessly with the Mezzanine app. Control content using Mezzanine's spatial tracking system and wand.




- 1 Primary workspace
- 2 Video conferencing camera
- 3 IR tags
- 4 Spatial wand

TECHNICAL SPECIFICATIONS


MEZZANINE APPLIANCE

Video Inputs	Up to 10 simultaneous inputs: 4 x HDMI streams (4k, 1080p, 720p) 6 x network video streams (Mezzanine app)
Video Outputs	2 x HDMI outputs Supported Formats: 4k, 1080p
Video Outputs (VC)	1 x HDMI output dedicated for video conferencing
Audio Inputs	4 x audio streams (HDMI input)
Audio Outputs	1 x 3.5mm stereo output 1 x HDMI digital audio output (Output to VC)
Network Connections	1 x Gigabit network port (LAN) 1 x Gigabit network port (MDN)
Other Connections	1 x USB 3.1 for IR wand Bluetooth receivers
Hard Drives	512 GB solid-state drive
Operating System	Ubuntu 18.04.3 LTS
Dimensions	220 x 140 x 40 mm (W x D x H)
Weight	0.91 kg
Power	V: 100-240 V Hz: 50-60 Hz W: 230 W
Operating Environment	0°C to 35°C (32°F to 95°F)

LOGICAL DIAGRAM



OPTICAL TRACKING DIAGRAM



HARDWARE + PERIPHERALS

COMPONENT	DESCRIPTION	QUANTITY
Mezzanine Appliance	The hub of the Mezzanine experience. Supports up to 10 inputs (4x HDMI, 6x wireless screenshare via the Mezzanine app) and drives two displays. Includes video input and output converters.	1
Spatial Wand	Control device for moving and resizing content around the workspace.	1
Bluetooth LE Receiver	Bluetooth LE radio receiver used to communicate with a spatial wand.	1
Tags	Display mounted marker bars (IR LED) used to enable the wand.	4

PERIPHERALS

(sold separately)

COMPONENT	DESCRIPTION	QUANTITY
Displays & Mounts	Recommended sizes: 46" – 98" Articulating display mounts recommended	2
Video Teleconferencing	Standards-based VTC system Preferred vendors: Cisco, Polycom	1
Audio System	Microphone, speakers, amplifier	As Needed
Power Support	Power Distribution Unit (PDU), Uninterruptable Power Supply (UPS)	As Needed
Cabling	HDMI, audio, power, ethernet	As Needed

FOR MORE INFORMATION

- Learn more about the [Mezzanine 200 Series](#).
- Visit [Oblong's Support Portal](#) and self-register for more information.